

Citas tomadas de MEDLINE

1. Krueger PM, Scholl TO. Adequacy of prenatal care and pregnancy outcome. Department of Obstetrics and Gynecology, University of Medicine and Dentistry of New Jersey-School of Osteopathic Medicine, Stratford, USA. krueger@umdnj.edu Am Osteopath Assoc 2000 Aug;100(8):485-92.
2. Protsenko EV, Peretiakko LP, Kulida LV. [Morphology of the cerebral cortex in fetuses and extremely low weight newborns in normal pregnancy and miscarriage of hormonal etiology] V. N. Gorodkov Research Institute of Maternity and Childhood, Ivanovo. Morfologija kory golovnogogo mozga plodov i novorozhdennykh s ekstremal'no nizkoi massoi tela pri neoslozhnennoi beremennosti i nevnashivanii gormonal'nogo geneza. Arkh Patol 2000 Jul-Aug;62(4):37-41.
3. Kavvadia V, Greenough A, Dimitriou G, Forsling ML. A comparison of arginine vasopressin levels and fluid balance in the perinatal period in infants who did and did not develop chronic oxygen dependency. Children Nationwide Regional Neonatal Intensive Care Unit, King's College Hospital, London, UK. Biol Neonate 2000;78(2):86-91.
4. Reis BB, Hall RT, Schanler RJ, Berseth CL, Chan G, Ernst JA, Lemons J, Adamkin D, Baggs G, O'Connor D. Enhanced growth of preterm infants fed a new powdered human milk fortifier: A randomized, controlled trial. Medical and Regulatory Affairs, Ross Products Division, Abbott Laboratories, Columbus, Ohio 43215-1724, USA. bidget.barrettreis@rossnutrition.com Pediatrics 2000 Sep;106(3):581-8.
5. Omar SA, DeCristofaro JD, Agarwal BI, LaGamma EF. Effect of prenatal steroids on potassium balance in extremely low birth weight neonates. Department of Pediatrics and Human Development, Michigan State University, East Lansing, Michigan, USA. omar@pilot.msu.edu Pediatrics 2000 Sep;106(3):561-7.
6. Hack M, Taylor HG, Klein N, Mercuri-Minich N. Functional limitations and special health care needs of 10- to 14-year-old children weighing less than 750 grams at birth. Department of Pediatrics, School of Medicine, Case Western Reserve University, Cleveland, Ohio, USA. mxh7@po.cwru.edu Pediatrics 2000 Sep;106(3):554-60.
7. Shenai JP, Mellen BG, Chytil F. Vitamin A status and postnatal dexamethasone treatment in bronchopulmonary dysplasia. Department of Pediatrics, Vanderbilt University, Nashville, Tennessee, USA. jayant.shenai@mcmail.vanderbilt.edu Pediatrics 2000 Sep;106(3):547-53.
8. Egeland GM, Skjaerven R, Irgens LM. Birth characteristics of women who develop gestational diabetes: population based study. Locus for Registry-based Epidemiology, Department of Public Health and Primary Health Care, University of Bergen, N-5021 Bergen, Norway. grace.egeland@isf.uib.no BMJ 2000 Sep 2;321(7260):546-7.
9. Buekens P, Notzon F, Kotelchuck M, Wilcox A. Why do Mexican Americans give

- birth to few low-birth-weight infants? Department of Maternal and Child Health, School of Public Health, The University of North Carolina at Chapel Hill, 27599-7400, USA. Pierre-Buekens@unc.edu *Am J Epidemiol* 2000 Aug 15;152(4):347-51.
10. Malec E, Werynski P, Mroczek T, Mikuta M, Kolcz J, Januszewska K, Pajak J. [Results of surgical treatment of congenital heart defects in infants below 2500 grams] Klinika Kardiologii Dziecięcej, Polsko-Amerykański Instytut Pediatrii Collegium Medicum, Uniwersytet Jagielloński. mimalec@cyf-kr.edu.pl Wyniki operacyjnego leczenia wrodzonych wad serca u dzieci z masą ciała poniżej 2500 g. *Przeł Lek* 2000;57(4):187-90.
 11. Tedoldi CL, Manfro WC. Myocardial infarction and subsequent pregnancy. Hospital Nossa Senhora da Conceicao, Porto Alegre, RS, Brazil. *Arq Bras Cardiol* 2000 Apr;74(4):347-50.
 12. Soll R. Patient-triggered ventilation of the newborn. Department of Pediatrics, University of Vermont College of Medicine, Burlington 05405, USA. *Lancet* 2000 Jul 8;356(9224):90-1.
 13. Vasarhelyi B, Kocsis I, Schuler A, Nobilis A, Tulassay T. G protein in very low birth-weight infants. *Lancet* 2000 Jul 15;356(9225):254.
 14. Friis IM, Larsen NE, Lillquist K, Schwarz P. [Severe neonatal hyperparathyroidism in a family with familial hypocalciuric hypercalcemia]. Klinisk biokemisk afdeling, Amtssygehuset i Glostrup. Neonatal svær hyperparatyroidisme i en familie med familiaer hypokalciurisk hyperkalcaemi *Ugeskr Laeger* 2000 Aug 14;162(33):4402-3.
 15. Blickstein I, Goldman RD, Mazkereth R. Risk for one or two very low birth weight twins: a population study. Department of Obstetrics and Gynecology, Kaplan Medical Center (affiliated with the Hadassah-Hebrew University School of Medicine, Jerusalem), Rehovot, Israel. blick@netvision.net.il *Obstet Gynecol* 2000 Sep;96(3):400-2.
 16. Dashe JS, McIntire DD, Lucas MJ, Leveno KJ. Effects of symmetric and asymmetric fetal growth on pregnancy outcomes. Department of Obstetrics and Gynecology, University of Texas Southwestern Medical Center at Dallas, 75390-9032, USA. jodi.dashe@email.swmed.edu *Obstet Gynecol* 2000 Sep;96(3):321-7.
 17. Francois I, Ibanez L. The child born small: an endocrine challenge. PG-141. Universities of Leuven, Belgium. *Ann Endocrinol (Paris)* 2000 May;61(2):141.
 18. Curtin SC, Martin JA. Births: preliminary data for 1999. *Natl Vital Stat Rep* 2000 Aug 8;48(14):1-20.

Embarazo en la adolescencia

1. Bradshaw M. Physical abuse, social support, self-care, and pregnancy outcomes of older adolescents. *J Child Fam Nurs* 2000 Jan-Feb;3(1):40-1.
2. Montenegro H. [Sex education of children and adolescent]. Educación sexual de niños y adolescentes. *Rev Med Chil*. 2000 Jun;128(6):574-83, *Rev Med Chil* 2000 Jun;128 (6):571-3.
3. Emans SJ. Contraception and adolescents. *Pediatrics* 2000 Sep;106(3):621.

4. Broughan TA, Solaway RD. Acetaminophen hepatotoxicity. Department of Surgery, University of Texas Medical Branch at Galveston, USA. *Dig Dis Sci* 2000 Aug;45(8):1553-8.
5. Searle S. How effective are family planning clinics? *Br J Fam Plann* 2000 Jul;26(3):178.
6. Okpani AO, Okpani JU. Sexual activity and contraceptive use among female adolescents-a report from Port Harcourt, Nigeria.
7. Department of Obstetrics and Gynaecology, College of Health Sciences, University of Port Harcourt, Nigeria. *Afr J Reprod Health* 2000 Apr;4(1):40-7.
8. Bland M. Teenage pregnancy rates and the age and sex of general practitioners. Reports of urban and rural differences are contradictory. *BMJ* 2000 Aug 5;321(7257):382-3.
9. Leung WC. Teenage pregnancy rates and the age and sex of general practitioners. Sex and age discrimination in recruitment for general practice is not justified by teenage pregnancy survey. *BMJ* 2000 Aug 5;321(7257):382, discussion 382-3.
10. Gbolade BA. Teenage pregnancy rates and the age and sex of general practitioners. Record linkage analysis could have been used. *BMJ* 2000 Aug 5;321(7257):381-2, discussion 382-3.
11. Jaccard J, Dittus PJ. Adolescent perceptions of maternal approval of birth control and sexual risk behavior. Department of Psychology, University at Albany, State University of New York 12222, USA. jjj20@csc.albany.edu *Am J Public Health* 2000 Sep;90(9):1426-30.
12. Vander Stoep A, Beresford SA, Weiss NS, McKnight B, Cauce AM, Cohen P. Community-based study of the transition to adulthood for adolescents with psychiatric disorder. Department of Psychiatry, University of Washington, Seattle, 98105, USA. *Am J Epidemiol* 2000 Aug 15;152(4):352-62.
13. Cattani A, Zubarew T, Maddaleno M, Mosso L, López JM. [Bone turnover in lactating adolescent: evaluation at the end of pregnancy, during and after the weaning period] Departamento de Pediatría, Facultad de Medicina, Pontificia Universidad Católica de Chile. Recambio óseo en nodrizas adolescentes: evaluación al término de la gestación, lactancia y posdestete. *Rev Med Chil* 2000 Feb;128(2):145-53.
14. Curtin SC, Martin JA. Births:preliminary data for 1999. *Natl Vital Stat Rep* 2000 Aug 8;48(14):1-20.
15. Cupples M, Reilly P, Bradley T, Irvine H. GP opportunities for teenage health promotion. *Br J Gen Pract* 2000 Jul; 50(456):581.

Anormalidades

1. Agarwala S, Dutta H, Bhatnagar V, Gulathi M, Paul S, Mitra D. Congenital hepatoportal arteriovenous fistula: report of a case. Department of Paediatric Surgery, All India Institute of Medical Sciences, New Delhi. *Surg Today* 2000;30(3):268-71.
2. Klisch J, von Velthoven V, Speer J. [Massive cerebral hemorrhage: fistula of the dura from atypically originating A. meningea media]. Intrazerebrale Massenblutung: Durafistel aus atypisch entspringender A. meningea media. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 2000 Apr;172(4):397-8.

3. Zieger B. [Kidney diseases in childhood. 2. Congenital anomalies, cystic kidney diseases, tumors and trauma]. Abteilung Padiatrische Radiologie, Radiologische Universitätsklinik, Heidelberg. Nierenerkrankungen im Kindesalter. Teil 2: Angeborene Anomalien, zystische Nierenerkrankungen, Tumoren, Traumen. Radiologie 2000 Jul;40(7):656-73.

Bajo peso

1. Eriksson JG, Forsen T, Tuomilehto J, Osmond C, Barker DJ. Early growth, adult income, and risk of stroke. National Public Health Institute, Department of Epidemiology and Health Promotion, Diabetes and Genetic Epidemiology Unit, Helsinki, Finland. Stroke 2000 Apr;31(4):869-74.
2. Darlow BA, Winterbourn CC, Inder TE, Graham PJ, Harding JE, Weston PJ, Austin NC, Elder DE, Mogridge N. The effect of selenium supplementation on outcome in very low birth weight infants: a randomized controlled trial. The New Zealand Neonatal Study Group. Departments of Pediatrics, Pathology, and Public Health, Christchurch School of Medicine, Christchurch, New Zealand. J Pediatr 2000 Apr;136(4):473-80.
3. Ranganathan D, Wall S, Khoshnood B, Singh JK, Lee KS. Racial differences in respiratory-related neonatal mortality among very low birth weight infants. Section of Neonatology, Department of Pediatrics, University of Chicago Children's Hospital, IL 60637, USA. J Pediatr 2000 Apr;136(4):454-9.
4. Hamvas A. Disparate outcomes for very low birth weight infants: genetics, environment, or both? J Pediatr 2000 Apr;136(4):427-8.
5. Ong KK, Ahmed ML, Emmett PM, Preece MA, Dunger DB. Association between postnatal catch-up growth and obesity in childhood: prospective cohort study. AD-Department of Paediatrics, University of Oxford, John Radcliffe Hospital, Oxford OX3 9DU. BMJ 2000 Apr 8;320(7240):967-71.
6. Hellstrom A, Hard AL, Svensson E, Niklasson A. Ocular fundus abnormalities in children born before 29 weeks of gestation: a population-based study. AD - Department of Clinical Neuroscience, Queen Silvia Children's Hospital, Goteborg, Sweden. ann.hellstrom@medfak.gu.se. Eye 2000 Jun;14 (Pt 3a)(7240):324-9.
7. Steffensen FH, Sorensen HT, Gillman MW, Rothman KJ, Sabroe S, Fischer P, Olsen J. Low birth weight and preterm delivery as risk factors for asthma and atopic dermatitis in young adult males. AD - Department of Internal Medicine M, Aalborg Hospital, Denmark. Epidemiology 2000 Mar;11(2):185-8.
8. Chiarelli AM, Marrett LD, Darlington GA. Pregnancy outcomes in females after treatment for childhood cancer. Division of Preventive Oncology, Cancer Care Ontario, University of Toronto, Canada. Epidemiology 2000 Mar;11(2):161-6.
9. Wyckoff M, Perlman J. Cardiopulmonary resuscitation in very low birth weight infants. Pediatrics 2000 Sep;106(3):618-20.
10. Berger TM. Blood pressure standards for very low birthweight infants. Arch Dis Child Fetal Neonatal Ed 2000 Sep;83(2):F161-2.
11. Arifeen SE, Black RE, Caulfield LE, Antelman G, Baqui AH, Nahar Q, Alamgir S, Mahmud H. Infant growth patterns in the slums of Dhaka in relation to birth weight,

- intrauterine growth retardation, and prematurity. AD - International Centre for Diarrhoeal Disease Research, Bangladesh (ICDDR,B), Dhaka, Bangladesh. *Am J Clin Nutr* 2000 Oct;72(4):1010-7.
12. Osman NB, Challis K, Cotiro M, Nordahl G, Bergstrom S. Maternal and fetal characteristics in an obstetric cohort in Mozambique. Department of Obstetrics and Gynaecology, Eduardo Mondlane University, Central Hospital, Maputo, Mozambique. *Afr J Reprod Health* 2000 Apr;4(1):110-9.
 13. Van der Mei J, Volmer M, Boersma ER. Paediatric Department, Agogo Hospital, Presbyterian Church of Ghana. Growth and survival of low birthweight infants from 0 to 9 years in a rural area of Ghana. Comparison of moderately low (1,501-2,000 g) and verylow birthweight (1,000-1,500 g) infants and a local reference population. *Trop Med Int Health* 2000 Aug;5(8):571-7.
 14. Maruyama K, Koizumi T, Ikeda H. Solitary liver abscess caused by methicillin-resistant *Staphylococcus aureus* in a very low birth weight infant. AD - Department of Neonatology, Gunma Children's Medical Center, Japan. maruken@gcmc.pref.gunma.jp. *Pediatr Int* 2000 Aug;42(4):380-2.
 15. Adhikari M, Pillay K, Kuhn L, Coutsoadis A, Coovadia HM. Effect of vitamin A supplementation on morbidity of low-birth-weight neonates. Department of Paediatrics and Child Health, University of Natal, Durban. *S Afr Med J* 2000 Jul;90(7):730-6.
 16. Kang HK, Mahan CM, Lee KY, Magee CA, Mather SH, Matanoski G. Pregnancy outcomes among US. women Vietnam veterans. Environmental Epidemiology Service, Veterans Health Administration Department of Veterans Affairs, Washington, DC 20036-3406, USA. han.kang@mail.va.gov. *Am J Ind Med* 2000 Oct;38(4):447-54.
 17. Marinescu RC, Mainardi PC, Collins MR, Kouahou M, Coucourde G, Pastore G, Eaton-Evans J, Overhauser J. Growth charts for cri-du-chat syndrome: an international collaborative study. Department of Biochemistry and Molecular Pharmacology, Thomas Jefferson University, Philadelphia, Pennsylvania, USA. *Am J Med Genet* 2000 Sep 11;94(2):153-62.
 18. Saftlas AF, Koonin LM, Atrash HK. Racial disparity in pregnancy-related mortality associated with livebirth: can established risk factors explain it? audrey-saftlas@uiowa.edu. *Am J Epidemiol* 2000 Sep 1;152(5):413-9.